

A high-performance Home Theater Receiver with many impressive features including Dolby TrueHD and DTS-HD Master Audio decoders, latest HDMI 1.3a specification support, video upscaling to 1080p, iPod compatibility, YPAO Auto Setup with Quick Start, and multi-zone custom installation support.



Oil-Damped Hidden Control Panel includes S-Video input and optical digital input terminals, Main/Zone 2/Zone 3 power on/off switches, rec out/Zone 2 selector, YPAO optimized microphone jack, and more.



Direct-access (macro-command, learning and preset capable) remote unit with luminescent buttons (right) and dedicated zone remote unit (left)



1 High Sound Quality

- 7-channel 910W powerful surround sound (130W x 7)
- HD audio format signals capability: Dolby Digital Plus, Dolby Digital TrueHD, DTS-HD High Resolution Audio and DTS-HD Master Audio
- Digital ToP-ART with top audio-grade parts and devices used throughout
- Pure Direct for higher fidelity sound reproduction
- Burr-Brown 192 kHz/24-bit DACs for front channels and 192 kHz/24-bit ADC for Main Zone

2 High Picture Quality

- Analog video (480i or 480p) upscaling to full HD 1080p
- Latest HDMI 1.3a (4 in/1 out) specification supports with Deep Color (30/36 bit) transmission, 120Hz and 24Hz Refresh Rates and Auto Lip-Sync compensation
- Analog video to HDMI digital video upconversion with TBC

3 Advanced Features

- XM ready with XM HD Surround powered by Neural-THX Surround decoder
- iPod compatibility via optional Yamaha YDS-10
- Improved YPAO short-cut setup function and System Memory buttons on remote unit
- Superior zone control with additional zone remote unit
- Assignable amplifiers for bi-amp connection
- Support for a digital connection to a Blu-ray Disc and HD DVD players

4 Surround Realism

- Fine-tuned CINEMA DSP and Adaptive DSP Level
- Improved Compressed Music Enhancer with Straight Enhancer program
- Adaptive DRC (Dynamic Range Control)

22 DSP Programs Compatible Decoder Straight

- Dolby Digital
- Dolby Digital EX
- Dolby Digital Plus
- Dolby Digital TrueHD
- DTS Digital Surround
- DTS 96/24
- DTS-ES Matrix 6.1
- DTS-ES Discrete 6.1
- DTS-HD High Resolution Audio
- DTS-HD Master Audio
- Dolby Pro Logic
- Dolby Pro Logic II Music
- Dolby Pro Logic II Movie
- Dolby Pro Logic II Game
- Dolby Pro Logic IIx Music
- Dolby Pro Logic IIx Movie
- Dolby Pro Logic IIx Game
- DTS Neo:6 Music
- DTS Neo:6 Cinema
- Neural-THX

HiFi DSP Programs 11

- Hall in Munich
- Hall in Vienna
- Hall in Amsterdam
- Church in Freiburg
- Chamber
- Village Vanguard
- Warehouse Loft
- Cellar Club
- The Roxy Theatre
- The Bottom Line
- 7 Channel Stereo

CINEMA DSP Programs 11

- Standard
- Spectacle
- Sci-Fi
- Adventure
- Drama
- Mono Movie
- Sports
- Action Game
- Roleplaying Game
- Music Video
- Recital/Opera

DSP Program Total

22

High Sound Quality

HD Audio Format Signals Capability

This receiver lets users enjoy the best possible and newest surround sound from Blu-ray Disc players and HD-DVD players. It supports the two lossy formats: Dolby Digital Plus and DTS HD High Resolution, as well as the lossless formats: Dolby TrueHD and DTS-HD Master Audio.



Digital ToP-ART and High Current Amplification

Yamaha's Digital ToP-ART concept combines the latest and best technologies, parts and circuit designs to maximize sound quality. An interior layout completely isolates the digital, analog and video sections and provides the shortest possible signal routes. Top quality parts include Burr-Brown 192kHz/24-bit DACs and 192kHz/24-bit ADC, a low-noise discrete power supply, custom-made 12,000µF block capacitors, low-jitter PLL circuitry, and a large, arch-shaped heat sink. Heavy-duty top and bottom chassis provide greater rigidity for vibration damping. High Current Amplification circuitry achieves high current power with low impedance for superior amplifier performance.



- 1 High grade Burr-Brown DAC
- 2 Custom made block capacitors (12,000µF)
- 3 Large, arch-shaped heat sink
- 4 Two direct signal path speaker relays


High Picture Quality

Latest HDMI 1.3a (4 In/1 Out)

The HDMI 1.3a interface upgrades the transmission of standard, enhanced and high-definition video signals via HDMI for higher than ever quality through a single cable. With four HDMI input terminals, users can connect a variety of high-definition sources such as a Blu-ray Disc or HD-DVD player and switch easily among them.

Full HD 1080p Video Upscaling

The RX-V1800 not only offers analog video to HDMI digital video upconversion (i.e., composite video <-> S-Video <-> component video -> HDMI) capability for monitor out, but also analog video upscaling from 480i or 480p to 1080i, 720p or even 1080p.



Deep Color (30/36 Bit) Transmission

The receiver supports the latest HDMI 30- and 36-bit color depths, improved from the 24-bit depth of previous versions. This "Deep Color" allows the rendering of billions of colors for far greater accuracy.

120Hz and 24Hz Refresh Rates

• High Refresh Rate (120Hz)

The standard refresh rate (frame rate) for video displays is 60Hz. Recently, however, LCD TVs and monitors are being introduced that use a double refresh rate (120Hz) to prevent flicker and delay problems. The RX-V1800 is capable of transmitting this high refresh rate signal via HDMI.

• Low Refresh Rate (24Hz)

Blu-ray Discs are mastered at 24 frames per second (the same as 35mm movie film) with 1080p resolution. In order to make the most of this high quality, 1080p/24Hz compliant displays and players are being introduced. The RX-V1800 is capable of transmitting the 1080p/24Hz signal to ensure highest quality throughout the reproduction chain.

Auto Lip-Sync Compensation

When video and audio signals are transferred via HDMI and the video shown on a display and the audio output by an AV receiver, the video delay time (time from signal input until it is seen) and the audio delay time (time from signal input until it is heard) are different, so the video and audio slip out of sync. The Auto Lip-Sync compensation function monitors the video delay time, and automatically adjusts the amount of audio delay to eliminate the difference, so you hear the dialogue just as the person is speaking.

Advanced Features

XM Satellite Radio "Ready" with XM HD Surround Powered by Neural-THX

In addition to XM Satellite Radio ready, this receiver is also capable of receiving XM Satellite Radio with XM HD Surround powered by Neural-THX Surround Decoder which also can enjoy gaming and movies by 7.1-channel.

YPAO Sound Optimization with Quick Start

Yamaha's YPAO Sound Optimization system analyzes the acoustics of the room and adjusts various speaker parameters to provide optimum sound quality at the listening position — in less than three minutes! A new Quick Start function displays the YPAO Auto Setup menu when the microphone jack is inserted, so Start can be immediately selected. Six YPAO settings can be memorized.

Superior Custom Zone Control

Convenient operation is assured thanks to control of Main/Zone 2/Zone 3 power, XM/FM/AM tuning, volume and input select on the front panel, along with extensive information, Zone 2/3 tone and L/R balance control for ceiling- or wall-mount speakers and even a separate Zone Remote Unit. There is also an RS-232C interface for a touch-panel controller.

Surround Realism

Fine-Tuned CINEMA DSP and Adaptive DSP Level

Yamaha's much-praised CINEMA DSP programs have been fine-tuned for even better sound with the latest generation CINEMA DSP technology and with the new HD Audio surround sound.

When volume is low, CINEMA DSP effects may be difficult to hear. Adaptive DSP Level overcomes this problem by evaluating the difference between the current volume level and a reference level, and adjusting the DSP settings to ensure optimum effectiveness, that is, the best possible sound.

Improved Compressed Music Enhancer

Yamaha's Compressed Music Enhancer is a popular feature that restores the sound of the original music from digitally compressed formats such as MP3. This receiver offers an upgraded version that processes multi-channel signals with a DSP algorithm, so all channels (rather than just two) are enhanced. This provides more accurate reproduction and a more expansive sound.

Adaptive DRC

Adaptive DRC (Dynamic Range Control) is a new volume control technology that is effective for low-volume listening, such as at night or with headphones. It applies DRC processing to eliminate the volume differences between loud commercials and ordinary programming as well as accounting for our ears' loss of sensitivity as volume decreases.

Other Notable Features

- Pure Direct for highest sound quality
- Surround Back terminal's amplifiers can be assignable for bi-amplification connections
- System Memory buttons on remote unit
- 40-station FM/AM preset and direct preset tuning / Auto preset tuning
- Linear Damping and high dynamic power
- Aluminum front panel and volume knob/input selector
- SILENT CINEMA and Virtual CINEMA DSP
- Initial Volume Setting and Maximum Volume Setting (including Zone 2/Zone 3)
- Dialogue Lift for dialogue to screen center
- iPod song titles displayed on front panel
- Selectable 9-band subwoofer frequencies
- Subwoofer Phase Select
- 8ch or 6ch external decoder input
- Analog downmix
- Sleep timer
- Detachable power cable
- Extended remote control codes, dual remote terminals for Zone 2 and Zone 3 and dual programmable +12V trigger outputs

Main Specifications

Minimum RMS Output Power (8 ohms, 20 Hz–20 kHz, 0.04% THD)	
Front Channels	130 W + 130 W
Center Channel	130 W
Surround Channels	130 W + 130 W
Surround Back Channels	130 W + 130 W
Dynamic Power/Ch (Front Ch, Speaker-1)	
8/6/4/2 ohms	160/195/255/335 W
Damping Factor (8 ohms, 20 Hz–20 kHz)	150 (speaker-1)
Frequency Response	10 Hz–100 kHz +0, -3 dB
Total Harmonic Distortion (20 Hz–20 kHz)	
CD (Front Sp Out)	0.04%
Signal-to-Noise Ratio (CD)	100 dB
Video Monitor Out Frequency Response	
Component Video Signal	5 Hz–100 MHz -3 dB
Dimensions (W x H x D)	17-1/8" x 6-3/4" x 17-1/4"
	435 x 171 x 439 mm
Weight	37.5 lbs.; 17 kg



• The XM Satellite Radio service is only available in the 48 contiguous United States (not available in Alaska and Hawaii) and Canada. • XM name, XM Ready and related logos are registered trademarks of XM Satellite Radio, Inc. • Neural Surround is a trademark owned by Neural Audio Corporation, THX is a trademark of THX Ltd. • iPod is a trademark of Apple Computer, Inc., registered in the U.S. and other countries. • HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC. • Burr-Brown products are trademarks of Texas Instruments, Inc. • Powered by ABT™ is a trademark of Anchor Bay Technologies Inc. • Dolby and the double-D symbol are registered trademarks of Dolby Laboratories. • DTS is a registered trademark and the DTS logo, Symbols, DTS-HD and DTS-HD Master Audio are trademarks of DTS, Inc. • Product designs and specifications are subject to change without notice.

d-cinema "d-cinema" is the slogan of Yamaha AV products and technology, reflecting our focus on digital technology and our leadership in creating and refining digital home theater.




DIAMOND CASE HOME THEATER

FINE HOME THEATER FURNITURE & ELECTRONICS

**For more information or to place an order
please call Diamond Case Designs, Inc.
at (800) 616-5354**

DIAMOND



CASE